

## References

- Baker, D., A. Klimas, R. McPherron, and J. Buchner (1990), The evolution from weak to strong geomagnetic activity: An interpretation in terms of deterministic chaos, *Geophys. Res. Lett.*, *17*.
- Baker, D., X. Li, J. Blake, and S. Kanekal (1998), Strong electron acceleration in the earth's magnetosphere, *Adv. Sp. Research*, *21*(4), 609–613.
- Baker, D., T. Pulkkinen, J. Buchner, and A. Klimas (1999), Substorms: A global instability of the magnetosphere-ionosphere system, *J. Geophys. Res.*, *104*, 14,601–14,611.
- Bateman, G. (1991), *Computer applications in Plasma Science and Engineering*, chap. 14, Springer-Verlag.
- Blanchard, G., and R. McPherron (1993), A bimodal representation of the response function relating the solar wind electric field to the AL index, *Adv. Sp. Research*, *13*(4), 71.
- Blanchard, G., L. Lyons, and J. Spann (2000), Predictions of substorms following northward turnings of the interplanetary magnetic field, *J. Geophys. Res.*, *105*(A1).
- Chen, C., and R. Wolf (1999), Theory of thin-filament motion in Earth's magnetotail and its application to bursty bulk flows, *J. Geophys. Res.*, *104*(A7), 14,613–16,626.
- Chen, L., and A. Hasegawa (1991), Kinetic Theory of geomagnetic pulsations: 1. Internal excitations by energetic particles, *J. Geophys. Res.*, *96*.
- Chiu, C., W. Horton, and Y. Ohsawa (2005), Large acceleration of electrons by the microstructure of quasi-normal shocks, *Phys. Plasmas*, IFSR no. 1014, URL: <http://peaches.ph.utexas.edu/ifs/reports2004.html>.
- Crabtree, C. (2003), Ballooning stability of the earth's magnetosphere, Ph.D. thesis, University of Teaxs at Austin, IFSR no. 967, URL: [http://peaches.ph.utexas.edu/ifs/ifsreports/967\\_Crabtree.pdf](http://peaches.ph.utexas.edu/ifs/ifsreports/967_Crabtree.pdf).
- Crabtree, C., and L. Chen (2004), Finite gyroradius theory of drift compressional modes, *Geophys. Res. Lett.*, *31*, doi:10.1029/2004GL020660.
- Crabtree, C., W. Horton, H. Wong, and J. Dam (2003), Bounced-averaged stability of compressional modes in geotail flux tubes, *J. Geophys. Res.*, *108*(A2), doi:10.1029/2002JA009555.
- Doxas, I., W. Horton, W. Lin, S. Seibert, and M. Mithaiwala (2004), A Dynamical Model for the Coupled Inner Magnetosphere and Tail, *IEEE Trans. Plasma Sc.*, *32*(4), 1443–1448.

- Evstatiev, E., W. Horton, and P. Morrison (2003), Multiwave model for plasma-wave interaction, *Phys. Plasmas*, *10*(10), 4090–4094.
- Evstatiev, E., W. Horton, and P. Morrison (2005), A relativistic beam-plasma system with electromagnetic waves, *Phys. Plasmas*, to appear.
- Farrugia, C., M. Freeman, L. Burlaga, R. Lepping, and K. Takahashi (1993), The earth’s magnetosphere under continued forcing: Substorm activity during the passage of an interplanetary magnetic cloud, *J. Geophys. Res.*, *98*(A5), 7657.
- Gary, S., H. Li, S. O’Rourke, and D. Winske (1998), Proton resonant firehose instability: Temperature anisotropy and fluctuating field constraints, *J. Geophys. Res.*, *103*(A7), 14,567–14,574.
- Henderson, M. (2004), The May 2-3, 1986 CDAW-9C interval: A sawtooth event, *Geophys. Res. Lett.*, *31*, L11804, doi:10.1029/2004GL019941.
- Horton, W., and I. Doxas (1996), A low-dimensional energy-conserving state space model for substorm dynamics, *J. Geophys. Res.*, *101*(A12), 27, 223–27,237.
- Horton, W., and I. Doxas (1998), A low-dimensional dynamical model for the solar wind driven geotail-ionosphere system, *J. Geophys. Res.*, *103*(A3), 4561–4572.
- Horton, W., and M. Pekker (1998), Magnetic energy storage and the nightside magnetosphere-ionosphere coupling, *J. Geophys. Res.*, *25*(21), 4083–4086.
- Horton, W., C. Crabtree, I. Doxas, and R. S. Weigel (2002), Geomagnetic transport in the solar wind driven nightside magnetosphere-ionosphere system, *Phys. Plasmas*, *9*(9).
- Horton, W., R. S. Weigel, D. Vassiliadis, and I. Doxas (2003), Substorm Classification with the WINDMI Model, *Nonlin. Process. Geophys.*, *10*, 363.
- Horton, W., B.-Y. Xu, and H. Wong (2004a), Firehose driven magnetic fluctuations in the magnetosphere, *Geophys. Res. Lett.*, *31*(L06807), L06807, doi:10.1029/2003GL018309.
- Horton, W., B.-Y. Xu, H. Wong, and J. V. Dam (2004b), Nonlinear dynamics of the firehose instability in a magnetic dipole geotail, *J. Geophys. Res.*, *109*(A09216), doi:10.1029/2003JA010288.
- Horton, W., M. Mithaiwala, E. Spencer, and I. Doxas (2005a), WINDMI: A Family of Physics Network Models for Storms and Substorms, in *Multi-Scale Coupling of Sun-Earth Processes*, edited by A. Lui, Y. Kamide, and G. Consolini, chap. 5, pp. 431–446, Elsevier Pub. Co., URL: [http://www.elsevier.com/wps/find/bookdescription.cws\\_home/705151/description](http://www.elsevier.com/wps/find/bookdescription.cws_home/705151/description).

- Horton, W., J. Perez, T. Carter, and R. Bengtson (2005b), Vorticity probes and the characterization of vortices in the Kelvin-Helmoltz instability in the large plasma experiment, *Phys. of Plasmas*, *12*(2).
- Hu, B., W. Horton, C. Chiu, and T. Petrosky (2002a), Coulomb scattering in a strong magnetic field, *Phys. Plasmas*, *9*(4), 1116–1124.
- Hu, B., W. Horton, and T. Petrosky (2002b), Chaotic scattering and the magneto-Coloumb map, *Phys. Rev. E (Statistical, Nonlinear, and Soft Matter Physics)*, *65*(5).
- Ji, S., and R. Wolf (2003a), Firehose instability near substorm expansion-phase onset?, *Geophys. Res. Lett.*, *30*(24), 2242, doi:10.1029/2003GL017981.
- Ji, S., and R. Wolf (2003b), Double-adiabatic-MHD theory for motion of a thin magnetic filament and possible implications for bursty bulk flows, *J. Geophys. Res.*, *108*(A5), 1191, doi:10.1029/2002JA009655.
- Kamide, Y. (2001), Some “missing” elements of constraint in substorm initiation modeling, *Journal of Atmospheric and Terrestrial Physics*, *63*, 635–642.
- Kaufmann, R., B. Ball, W. Paterson, and L. Frank (2000), Pressure anisotropy and  $B_y$  in the magnetotail current sheet, in *Magnetospheric Current Systems*, *Geophys. Monogr. Ser.*, vol. 118, edited by et al. S. Ohtani, pp. 323–330, AGU, Washington D.C.
- Kepko, L., and M. Kivelson (1999), Generation of Pi2 pulsations and bursty bulk flows, *J. Geophys. Res.*, *104*(A11), 25,021–25,034.
- Kepko, L., and M. Kivelson (2001), Flow bursts, braking, and Pi2 pulsations, *J. Geophys. Res.*, *106*(A2), 1903–1915.
- Klimas, A., D. Baker, D. Roberts, D. Fairfield, and J. Buchner (1992), A Nonlinear Dynamical Analogue Model of Geomagnetic Activity, *J. Geophys. Res.*, *97*(A8), 12,253–12,266.
- Li, X., D. Baker, M. Temerin, D. Larson, R. Lin, D. Reeves, M. Looper, S. Kanekal, and R. Mewaldt (1997), Are energetic electrons in the solar wind the source of the outer radiation belt?, *Geophys. Res. Lett.*, *24*(8), 923–926.
- Li, X., D. Baker, M. Temerin, G. Reeves, and R. Belian (1998), Simulation of dispersionless injections and drift echoes of energetic electrons associated with substorms, *Geophys. Res. Lett.*, *25*(20), 3763–3766.

- Lui, A. (2004), Potential plasma instabilities for substorm expansion onsets, *Space Sc. Reviews*, *113*(1), 127–206.
- Lui, A., and J. Murphree (1998), A substorm model with onset location tied to an auroral arc, *Geophys. Res. Lett.*, *25*(8), 1269–1272.
- Lyons, L. (1995), A new theory for magnetospheric substorms, *J. Geophys. Res.*, *100*(A10), 19,069–19,081.
- Lyons, L. (2000), Geomagnetic disturbances: characteristics of, distinction between types, and relations to interplanetary conditions, *J. Atmos. Sol. Terr. Phys.*, *62*, 1087–1114.
- Meredith, N., R. Horne, R. Iles, R. Thorne, D. Heynderickx, and R. Anderson (2002), Outer zone relativistic electron acceleration associated with substorm-enhanced whistler mode chorus, *J. Geophys. Res.*, *107*(A7), 1144.
- Mithaiwala, M. (2005), Substorm Induced Electron Energization, Ph.D. thesis, University of Texas at Austin.
- Mithaiwala, M., and W. Horton (2005), Substorm injections produce sufficient electron energization to account for MeV flux enhancements following some storms, *J. Geophys. Res.*, to appear JGR June 2005.
- Moore, T., R. Arnoldy, J. Feynman, and D. Hardy (1981), Propagating substorm injection fronts, *J. Geophys. Res.*, *86*, 6713–6726.
- Nagai, T., et al. (1998), Structure and dynamics of magnetic reconnection for substorm onsets with Geotail observations, *J. Geophys. Res.*, *103*, 4419–4440, doi:10.1029/97JA02190.
- Ober, D. M., N. C. Maynard, and W. J. Burke (2003), Testing the Hill model of transpolar potential saturation, *J. Geophys. Res.*, *108*(A12), 1467, doi:10.1029/2003JA010154.
- Padhye, N., and W. Horton (1999), Alven-wave particle interaction in finite-dimensional self-consistent field model, *Phys. Plasmas*, *6*(3), 970–975.
- Pritchett, P., and F. Coroniti (1992), Interaction of reflected ions with the firehose marginally stable current sheet: Implications for plasma sheet convection, *Geophys. Res. Lett.*, *19*(16), 1631–1634.
- Shinohara, I., T. Nagai, M. Fujimoto, T. Terasawa, T. Mukai, K. Tsuruda, and T. Yamamoto (1998), Low-frequency electromagnetic turbulence observed near the substorm onset site, *J. Geophys. Res.*, *103*(A9), 20,365–20,388.

- Shiokawa, K., W. Baumjohann, and G. Haerendel (1997), Braking of high-speed flows in the near-Earth tail, *Geophys. Res. Lett.*, *24*(10), 1179–1182.
- Sigsbee, K., C. Cattell, D. Fairfield, K. Tsuruda, and S. Kokubun (2002), Geotail observations of low-frequency waves and high-speed earthward flows during substorm onsets in the near magnetotail from 10 to 13  $R_E$ , *J. Geophys. Res.*, *107*(A7), doi:10.1029/2001JA000166.
- Siscoe, G. L., G. M. Erickson, B. U. Ö. Sonnerup, N. C. Maynard, J. A. Schoendorf, K. D. Siebert, D. R. Weimer, W. W. White, and G. R. Wilson (2002), Hill model of transpolar potential saturation: comparisons with MHD simulations, *J. Geophys. Res.*, *107*(A6), 1075, doi:10.1029/2001JA000109.
- Summers, D., and Y. Ma (2000), A model for generating relativistic electrons in the earth's inner magnetosphere based on gyroresonant wave-particle interactions, *J. Geophys. Res.*, *105*(A2), 2625–2640.
- Summers, D., R. Thorne, and F. Xiao (1998), Relativistic theory of wave-particle resonant diffusion with application to electron acceleration in the magnetosphere, *J. Geophys. Res.*, *103*(A9), 20,487–20,500.
- Takahashi, K., L. Zanetti, R. Lopez, R. McEntire, T. Potemra, and K. Yumoto (1987), Disruption of the magnetotail current sheet observed by AMPTE/CCE, *Geophys. Res. Lett.*, *14*(10), 1019–1022.
- Vassiliadis, D. (2005), Dynamics of geospace plasmas, *Rev. Geophys.*, pre-print.
- Wanliss, J., J. Samson, and R. Rankin (2001), Substorm triggered pulsations observed in optical data, in *Canadian Association of Physics Annual Congress*, Victoria, British Columbia.
- Whitham, G. (1974), *Linear and Nonlinear Waves*, pp. 454–484, Wiley and Sons New York.
- Yoon, P., A. Lui, and M. Sitnov (2002), Generalized lower-hybrid drift instabilities in current sheet equilibrium, *Phy. Plasmas*, *9*(5), 1526–1538.
- Zhu, P., W. Horton, and H. Sugama (1999), The radial electric field in a tokamak with reversed magnetic shear, *Phy. of Plasmas*, *6*(6), 2503.